


# ESTRADIOL

Collected on October 5, 2024 8:44 AM

Details for viewing your test results 

## Lab tests

### Results

#### Estradiol

pg/mL

Value

**188.5**

(NOTE)

(NOTE)

REFERENCE INTERVAL: Estradiol by Mass Spec

Pre-menopausal: Early follicular 30.0-100.0 pg/mL

Pre-menopausal: Late follicular 100.0-400.0 pg/mL

Pre-menopausal: Luteal 50.0-150.0 pg/mL

Post-menopausal 2.0-21.0 pg/mL

REFERENCE INTERVAL: Estradiol by Mass Spec

For a complete set of all established reference intervals, refer to [ltd.aruplab.com/Tests/Pub/0093247](https://ltd.aruplab.com/Tests/Pub/0093247).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories

500 Chipeta Way

Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

CLIA Number: 46D0523979

Authorizing provider: Erin Stopani  
Collection date: October 5, 2024 8:44 AM  
Result date: October 10, 2024 11:24 PM  
Result status: Final  
Resulting lab:  
PRESBYTERIAN HOSPITAL  
1100 Central Ave SE  
Albuquerque NM 87106

MyChart® licensed from Epic Systems Corporation© 1999 - 2024