

Daniela Kurt

Remedial Massage Therapist

A Good Therapist

Personal Information

Ms	Sara
Middle Name	Warner
Preferred name	0405218403
Ph: Home	Ph: Work
saranosugar@gmail.com	16/09/1968
17b	Jutland Rise
OCEAN REEF	WA
Australia	6027
Registered Nurse	<div>Male</div> <div>Female</div> <div>Other</div>

Emergency contact

Tristan	Warner
0421994093	Son

Referral source

How did you hear about this clinic?

Family or Friends

List of test results

Treatment consent

Dry Needling Consent Form

It is important clients read and understand the information below:

Possible risks to adverse events (AE's) related to Dry Needling therapy?

The possible risks to adverse events following Dry Needling treatment include Serious Adverse Events (AE's) Pneumothorax, Cardiac Tamponade & damage to organs (0.04%). Mild or moderate AEs included bruising (7.55%), bleeding (4.65%), pain during treatment(3.01%), and pain after treatment (2.19%). Uncommon AEs include aggravation of symptoms (0.88%), drowsiness (0.26%), headache (0.14%), and nausea (0.13%). Rare AEs fatigue (0.04%), altered emotions (0.04%), shaking, itching, claustrophobia, and numbness, all 0.01%.

“Reference: Brady, S et al. Journal of Manual and Manipulative Therapy 2013 VOL. 000 NO. 000 (2013)”

What are the procedures that our clinic has implemented to reduce the above risks?

- We practice and are compliant with all current safety and health hygiene protocols as recommended by our local authority and professional body
- If dry needling is indicated, prior verbal permission will be obtained
- All Acupuncture needles used for Dry Needling are single-use only, sterile and of the highest quality possible
- We will take a comprehensive case history to rule out any reasons why Dry Needling may not be appropriate for you as a treatment option

List of conditions

The following is a list of conditions that are the most common relative contra- indications to Dry Needling therapy. Please notify your treating practitioner if you have any of the following conditions or you, at a later stage, develop any of these conditions:

- Bloodborne viruses (HIV & Hepatitis B/C) •

Recent radiotherapy

- Malignancy
- Haematoma
- Pregnancy
- Diabetes
- Bleeding disorders
- Eczema or psoriasis
- Peripheral neuropathy
- Lowered Immune Function
- Metal Allergies

☒ I consent to treatment

☐ I would like to receive communications on the latest news and offers

Client Name *

Date

sara

29/08/2024

☒ I am the client

☐ I am submitting on behalf of the client