

Digestive Disturbance

- Presented with digestive disturbance.
- Objective findings from kinesiology balance:
 - Nutrition balance: Second stage stress, related to liver, central vessel, and lipoprotein formation.
 - Digestive disturbance balance:
 - Oesophagus: First stage stress.
 - Stomach: First stage stress.
 - PMC muscle: Normal.
 - Small intestine: Second stage stress. Serotonin showed second stage stress. Hydration vial placed on body.
 - Right quadriceps: Second stage stress.
 - Hologram duodenum (small intestine plus small intestine) cross-referenced with gallbladder.
 - Anterior deltoid: Third stage stress, cleared with kidney 6 + GB 20.
 - Liver scan chart: Nutrition, liver.
 - Hepatic vein and hepatic portal vein (liver plus kidney): Second stage stress. Hologram of small intestine 3 and kidney 1 requested.
 - Pancreas: Right lobus dorsi showed second stage stress, cleared with kidney 6 + kidney 1.
 - Scan chart: Nutrition showed again.
 - Large intestine: TF normal.
 - Digestive valves:
 - Cardiac valve: Second stage stress, corrected with front-back switching and solar plexus chakra.
 - Pyloric valve: First stage stress.
 - Ileocecal valve: Third stage stress, corrected with solar plexus chakra. First stage stress also noted.
 - Fascia balance: Solar plexus chakra.
 - Survival stress (neurone suppressed):
 - Central vessel 15 (fear).
 - Central vessel 16 (pain).

- Emotion of shyness identified within self in the present, with a dynamic of denial. Affirmation used: "I am true to my feelings of shyness". Correction with cortisol balance.

Statement "I resolve and release all long-term stress" used.

- Conflicts and reversals addressed.
- Further survival stress:
 - Amygdala: CV14, grief.
 - Thalamus: Fear.
 - Hypothalamus: Pain and grief.
 - PAG: Fear.
 - Cerebellum: Homeostasis.
- Treatment planned for Digestive Disturbance:
 - Session concluded with Hop Tree essence, three drops in water to be consumed during the day.
 - No homework assigned.